Author Index

Abraham, M.H., Andonian-Haftvan, J., Hamerton, I., Poole, C.F. and Kollie, T.O.
Hydrogen bonding. XXVIII. Comparison of the solvation theories of Abraham and Poole, using a new acidic gas–liquid chromatography stationary phase 646(1993)351

Adamson, N., Riley, P.F. and Reynolds, E.C.
The analysis of multiple phosphoseryl-containing casein peptides using capillary zone electrophoresis 646(1993)391

Aguilar, M.I., Mougos, S., Boublik, J., Rivier, J. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXVIII. Effect of D-amino acid substitutions on the reversed-phase high-performance liquid chromatography retention behaviour of neuropeptide Y[18–36] analogues 646(1993)53

Aguilar, M., see Wirth, H.-J. 646(1993)129

Alebić-Kolbah, T. and Wainer, I.W.
Enzyme-based high-performance liquid chromatography stationary phases as metabolic reactors. Immobilization of non-solubilized rat liver microsomes on an immobilized artificial membrane high-performance liquid chromatography support 646(1993)289

Alewood, P.F., Bailey, A.J., Brinkworth, R.I., Fairlie, D. and Jones, A.
Characterisation of TNF-α-related peptides by high-performance liquid chromatography–mass spectrometry and high-performance liquid chromatography–tandem mass spectrometry 646(1993)185

Alewood, P.F., see Grieve, P.A. 646(1993)175

Altria, K.D.
Quantitative aspects of the application of capillary electrophoresis to the analysis of pharmaceuticals and drug related impurities (Review) 646(1993)245

Andonian-Haftvan, J., see Abraham, M.H. 646(1993)351

Bächmann, K., see Groh, T. 646(1993)405

Bailey, A.J., see Alewood, P.F. 646(1993)185

Barron, D., see Lübke, M. 646(1993)307

Beeby, A., see Bishop, S.M. 646(1993)345

Beeson, M.D., see Camacho-Torralba, P.L. 646(1993)259

Benedek, K.
Kinetics of recombinant human brain-derived neurotropic factor unfolding under reversed-phase liquid chromatography conditions 646(1993)91

Berek, D., see Mislovičová, D. 646(1993)411

Bishop, S.M., Khoo, B.J., MacRobert, A.J., Simpson, M.S.C., Phillips, D. and Beeby, A.
Characterisation of the photochemotherapeutic agent disulphonated aluminium phthalocyanine and its high-performance liquid chromatographic separated components 646(1993)345

Bladier, D., see Caron, M. 646(1993)327

Bombín, M., see García, M.A. 646(1993)297

Boublik, J., see Aguilar, M.I. 646(1993)53

Braaksma, M.A., see Welling-Wester, S. 646(1993)37

Brinkworth, R.I., see Alewood, P.F. 646(1993)185

Brownrigg, C.M., see Brumley, W.C. 646(1993)377

Brumley, W.C. and Brownrigg, C.M.
Electrophoretic behavior of aromatic-containing organic acids and the determination of selected compounds in water and soil by capillary electrophoresis 646(1993)377

Burgess, A.W., see Fabri, L. 646(1993)213

Burgess, A.W., see Nice, E. 646(1993)159

Cais, M., see Shimoni, M. 646(1993)99

Camacho-Torralba, P.L., Beeson, M.D., Vigh, Gy. and Thompson, D.H.
High-performance chiral displacement chromatographic separations in the normal-phase mode. Separation of the enantiomers of 1,2-O-dihexadecyl-*rac*-glycerol-3-O-(3,5-dinitrophenyl)carbamate using the Pirkle-type naphthylalanine silica stationary phase 646(1993)259

Cann, J.R., see Munro, P.D. 646(1993)3

Caron, M., Joubert-Caron, R., Cartier, J.R., Chadli, A. and Bladier, D.
Study of lectin–ganglioside interactions by high-performance liquid affinity chromatography 646(1993)327

Carruthers, R.A., see Davies, M.J. 646(1993)317

Cartier, J.R., see Caron, M. 646(1993)327

Castello, G., D'Amato, G. and Vezzani, S.
Evaluation of the polarity of packed and capillary columns by different classification methods 646(1993)361

Chadli, A., see Caron, M. 646(1993)327

Chai, W., see Davies, M.J. 646(1993)317

D'Amato, G., see Castello, G. 646(1993)361

Datta, A., see Wagh, J.S. 646(1993)428

Davies, M.J., Smith, K.D., Carruthers, R.A., Chai, W., Lawson, A.M. and Hounsell, E.F.
Use of a porous graphitised carbon column for the high-performance liquid chromatography of oligosaccharides, alditols and glycopeptides with subsequent mass spectrometry analysis 646(1993)317

De Broe, M.E., see Van Hoof, V.O. 646(1993)235

Do, D.D., see Hu, S. 646(1993)31

Douma, B.R.K., see Welling-Wester, S. 646(1993)37

Dressler, M.
Detectors for capillary chromatography (by H.H. Hill and D.G. McMinn) (Book Review) 646(1993)442

Ebdon, L., see Pretorius, W.G. 646(1993)369

Elix, J.A., see Feige, G.B. 646(1993)417

Engstrom, A., see Nice, E. 646(1993)159

Eriksson, K.-O., see Wirth, H.-J. 646(1993)129

Fabri, L., Maruta, H., Muramatsu, H., Muramatsu, T., Simpson, R.J., Burgess, A.W. and Nice, E.C.
Structural characterisation of native and recombinant forms of the neurotrophic cytokine MK 646(1993)213

Fabri, L., see Nice, E. 646(1993)159

Fadeev, A.Yu., see Mingalyov, P.G. 646(1993)267

Fairlie, D., see Alewood, P.F. 646(1993)185

Feige, G.B., Lumbsch, H.T., Huneck, S. and Elix, J.A.
Identification of lichen substances by a standardized high-performance liquid chromatographic method 646(1993)417

Feijlbrief, M., see Welling-Wester, S. 646(1993)37
García, M.A., Vera, S., Bombín, M. and Marina, M.L.
Optimization of the separation selectivity of a group of benzene and naphthalene derivatives in micellar high-performance liquid chromatography using a C_{18} column and alcohols as modifiers in the mobile phase 646(1993)297
Goldshleger, R., see Tal, D.M. 646(1993)153
Gorman, J.J. and Shiell, B.J.
Isolation of carboxyl-termini and blocked amino-termini of viral proteins by high-performance cation-exchange chromatography 646(1993)193
Grieve, P.A., Jones, A. and Alewood, P.F.
Analytical methods for differentiating minor sequence variations in related peptides 646(1993)175
Groh, T. and Bächmann, K.
Investigation of vanadate as a pH sensitive analyte anion using capillary zone electrophoresis 646(1993)405
Hail, M., see Mock, K. 646(1993)169
Hamerton, I., see Abraham, M.H. 646(1993)351
Hancock, D.K. and Reeder, D.J.
Analysis and configuration assignments of the amino acids in a pyoverdine-type siderophore by reversed-phase high-performance liquid chromatography 646(1993)335
Hearn, M.T.W.
Foreword 646(1993)1
Hearn, M.T.W., see Aguilar, M.I. 646(1993)53
Hearn, M.T.W., see Mao, Q.M. 646(1993)67
Hearn, M.T.W., see Mao, Q.M. 646(1993)81
Hearn, M.T.W., see Wirth, H.-J. 646(1993)129
Hearn, M.T.W., see Wirth, H.-J. 646(1993)143
Hearn, M.T.W., see Zachariou, M. 646(1993)107
Hellman, U., see Nice, E. 646(1993)159
Hidaka, Y., see Zhang, R. 646(1993)45
Hjertén, S., Mohammad, J. and Nakazato, K.
Improvement in flow properties and pH stability of compressed, continuous polymer beds for high-performance liquid chromatography 646(1993)121
Hodges, R.S., see Sereda, T.J. 646(1993)17
Holt, P., see Wirth, H.-J. 646(1993)129
Hounsell, E.F., see Davies, M.J. 646(1993)317
Huneck, S., see Feige, G.B. 646(1993)417
Hu, S. and Do, D.D.
Histidine-ligand chromatography of proteins. Multiple modes of binding mechanism 646(1993)31
Jardine, I., see Mock, K. 646(1993)169
Johnson, K., see Mock, K. 646(1993)169
Jones, A., see Alewood, P.F. 646(1993)185
Jones, A., see Grieve, P.A. 646(1993)175
Jones, A.T., Keen, J.N. and Roberts, N.B.
Human pepsin 3b peptide map sequence analysis, genotype and hydrophobic nature 646(1993)207
Joubert-Caron, R., see Caron, M. 646(1993)327
Karlish, S.J.D., see Tal, D.M. 646(1993)153
Keen, J.N., see Jones, A.T. 646(1993)207
Khoo, B.J., see Bishop, S.M. 646(1993)345
Kiyohara, C., Saitoh, K. and Suzuki, N.
Micellar electrokinetic capillary chromatography of haematoporphyrin, protoporphyrin and their copper and zinc complexes 646(1993)397
Koedijk, D.G.A.M., see Welling-Wester, S. 646(1993)37
Kollie, T.O., see Abraham, M.H. 646(1993)351
Lau, S.-L. and Stenstrom, M.K.
Discussion on "Alternatives to methanol–water elution of solid-phase extraction columns for the fractionation of high log K_{ow} organic compounds in aqueous environmental samples" by Durhan *et al.*, *J. Chromatogr.*, 629 (1993) 67–74 646(1993)439
Lawson, A.M., see Davies, M.J. 646(1993)317
Layton, J., see Nice, E. 646(1993)159
Lepoutre, L.G., see Van Hoof, V.O. 646(1993)235
Le Quéré, J.-L., see Lübke, M. 646(1993)307
Lisichkin, G.V., see Mingalyov, P.G. 646(1993)267
Liu, G., see Zhang, R. 646(1993)45
Lübke, M., Le Quéré, J.-L. and Barron, D.
Retention behaviour of volatile compounds in normal-phase high-performance liquid chromatography on a diol column 646(1993)307
Lumbsch, H.T., see Feige, G.B. 646(1993)417
Lunina, E.V., see Mingalyov, P.G. 646(1993)267
MacRobert, A.J., see Bishop, S.M. 646(1993)345
Mant, C.T., see Sereda, T.J. 646(1993)17
Mao, Q.M., Stockmann, R., Prince, I.G. and Hearn, M.T.W.
High-performance liquid chromatography of amino acid, peptides and proteins. CXXVI. Modelling of protein adsorption with non-porous and porous particles in a finite bath 646(1993)67
Mao, Q.M., Prince, I.G. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXXII. Optimisation of operating parameters for protein purification with chromatographic columns 646(1993)81
Marina, M.L., see García, M.A. 646(1993)297
Markowski, W. and Matysik, G.
Analysis of plant extracts by multiple development thin-layer chromatography 646(1993)434
Maruta, H., see Fabri, L. 646(1993)213
Matysik, G., see Markowski, W. 646(1993)434
Mingalyov, P.G., Fadeev, A.Yu., Staroverov, S.M., Lisichkin, G.V. and Lunina, E.V.
Nitroxide radicals in studies of the fine bonded layer structure of modified silicas 646(1993)267
Mislovičová, D., Petro, M. and Berek, D.
Behaviour of polyhydroxyethyl methacrylate sorbent with dextran-filled macropores in dye-affinity chromatography of proteins 646(1993)411
Mock, K., Hail, M., Mylchreest, I., Zhou, J., Johnson, K. and Jardine, I.
Rapid high-sensitivity peptide mapping by liquid chromatography–mass spectrometry 646(1993)169
Mohammad, J., see Hjertén, S. 646(1993)121
Mokashi, A.A., see Wagh, J.S. 646(1993)428
Mougos, S., see Aguilar, M.I. 646(1993)53
Munro, P.D., Winzor, D.J. and Cann, J.R.
Experimental and theoretical studies of rate constant evaluation by affinity chromatography. Determination of rate constants for the interaction of saccharides with concanavalin A 646(1993)3
Muramatsu, H., see Fabri, L. 646(1993)213
Muramatsu, T., see Fabri, L. 646(1993)213
Mylchreest, I., see Mock, K. 646(1993)169

Nakazato, K., see Hjertén, S. 646(1993)121
Nice, E.C., see Fabri, L. 646(1993)213
Nice, E., Layton, J., Fabri, L., Hellman, U., Engstrom, A., Persson, B. and Burgess, A.W.
Mapping of the antibody- and receptor-binding domains of granulocyte colony-stimulating factor using an optical biosensor. Comparison with enzyme-linked immunosorbent assay competition studies 646(1993)159
Oesch, F., see Schaumann, C. 646(1993)227
Persson, B., see Nice, E. 646(1993)159
Petro, M., see Mislovičová, D. 646(1993)411
Phillips, D., see Bishop, S.M. 646(1993)345
Poole, C.F., see Abraham, M.H. 646(1993)351
Pretorius, W.G., Ebdon, L. and Rowland, S.J.
Development of a high-temperature gas chromatography–inductively coupled plasma mass spectrometry interface for the determination of metalloporphyrins 646(1993)369
Prince, I.G., see Mao, Q.M. 646(1993)67
Prince, I.G., see Mao, Q.M. 646(1993)81
Quinn, A.M., see Sereda, T.J. 646(1993)17
Reeder, D.J., see Hancock, D.K. 646(1993)335
Reuveni, R., see Shimoni, M. 646(1993)99
Reynolds, E.C., see Adamson, N. 646(1993)391
Riley, P.F., see Adamson, N. 646(1993)391
Rivier, J., see Aguilar, M.I. 646(1993)53
Roberts, N.B., see Jones, A.T. 646(1993)207
Rowland, S.J., see Pretorius, W.G. 646(1993)369
Saitoh, K., see Kiyohara, C. 646(1993)397
Schaumann, C., Oesch, F., Unger, K.K. and Wieser, R.J.
Analytical technique for studying the structure of glycoprotein N-glycans 646(1993)227
Sereda, T.J., Mant, C.T., Quinn, A.M. and Hodges, R.S.
Effect of the α-amino group on peptide retention behaviour in reversed-phase chromatography. Determination of the pK_a values of the α-amino group of 19 different N-terminal amino acid residues 646(1993)17
Shiell, B.J., see Gorman, J.J. 646(1993)193
Shimoni, M., Reuveni, R. and Cais, M.
Non-dialysis method of rapid and facile sample preparation for the desalting and purification of enzymes and other proteins from plant extracts 646(1993)99
Shimonishi, Y., see Zhang, R. 646(1993)45
Simpson, M.S.C., see Bishop, S.M. 646(1993)345
Simpson, R.J., see Fabri, L. 646(1993)213
Smith, K.D., see Davies, M.J. 646(1993)317
Staroverov, S.M., see Mingalyov, P.G. 646(1993)267
Stenstrom, M.K., see Lau, S.-L. 646(1993)439
Stockmann, R., see Mao, Q.M. 646(1993)67
Suzuki, N., see Kiyohara, C. 646(1993)397
Svec, F., see Tennikova, T.B. 646(1993)279
Tal, D.M., Goldshleger, R. and Karlish, S.J.D.
Separation of membrane-embedded tryptic peptides of Na,K-ATPase by size-exclusion chromatography 646(1993)153
Tennikova, T.B. and Svec, F.
High-performance membrane chromatography: highly efficient separation method for proteins in ion-exchange, hydrophobic interaction and reversed-phase modes 646(1993)279
Thompson, D.H., see Camacho-Torralba, P.L. 646(1993)259
Traverso, I., see Zachariou, M. 646(1993)107
Unger, K.K., see Schaumann, C. 646(1993)227
Van Hoof, V.O., Van Mullem, M., De Broe, M.E. and Lepoutre, L.G.
Comparison of two commercially available systems for the electrophoretic separation of alkaline phosphatase isoenzymes 646(1993)235
Van Mullem, M., see Van Hoof, V.O. 646(1993)235
Vera, S., see García, M.A. 646(1993)297
Vezzani, S., see Castello, G. 646(1993)361
Vigh, Gy., see Camacho-Torralba, P.L. 646(1993)259
Wagh, J.S., Mokashi, A.A. and Datta, A.
High-performance liquid chromatographic method for the monitoring of the synthesis of the precursor for tetramisole 646(1993)428
Wainer, I.W., see Alebić-Kolbah, T. 646(1993)289
Welling, G.W., see Welling-Wester, S. 646(1993)37
Welling-Wester, S., Feijlbrief, M., Koedijk, D.G.A.M., Braaksma, M.A., Douma, B.R.K. and Welling, G.W.
Effect of different amounts of the non-ionic detergents $C_{10}E_5$ and $C_{12}E_5$ present in eluents for ion-exchange high-performance liquid chromatography of integral membrane proteins of Sendai virus 646(1993)37
Wieser, R.J., see Schaumann, C. 646(1993)227
Winzor, D.J., see Munro, P.D. 646(1993)3
Wirth, H.-J., Eriksson, K.-O., Holt, P., Aguilar, M. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXIX. Ceramic-based particles as chemically stable chromatographic supports 646(1993)129
Wirth, H.-J. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXX. Modified porous zirconia as sorbents in affinity chromatography 646(1993)143
Zachariou, M., Traverso, I. and Hearn, M.T.W.
High-performance liquid chromatography of amino acids peptides and proteins. CXXXI. O-Phosphoserine as a new chelating ligand for use with hard Lewis metal ions in the immobilized-metal affinity chromatography of proteins 646(1993)107
Zhang, R., Zhang, Z., Liu, G., Hidaka, Y. and Shimonishi, Y.
High-performance liquid chromatographic determination of neutral and amino monosaccharides by ultraviolet and fluorescence detection of sugar 9-fluorenylmethoxycarbonyl hydrazones and 9-fluorenylmethoxycarbonyl amino sugars at picomole and sub-picomole levels 646(1993)45
Zhang, Z., see Zhang, R. 646(1993)45
Zhou, J., see Mock, K. 646(1993)169